

PERMISSION REPORTER® v4.1

Conditional Reports Overview

NETsec


13. August 2018

1 Introduc	ction	3
2 Report 1	Гуре	4
	tem Object Condition	
3.1 Objec	ct Type	5
	erty	
3.3 Exped	cted Value	5
4 Principa	l Condition	6
4.1 Prope	erty	6
4.2 Exped	cted Value	6
5 Conditio	onal Report Destination	7
5.1 File		7
5.2 Email	Recipients	7
5.3 Comp	oress Attachments	7
6 Export C	Options	8


1 Introduction

Conditional Reports are automatically generated reports, which fulfill conditions you have set in your Profile-Definition. These reports can only be generated after an analysis has finished already.

You can configure Conditional Reports by selecting the *Profile*, the *Definition* and switching on the *Conditional Exports*-tab.



The second way to create Conditional Reports is by selecting an *Analysis*, right-click a folder/share or a principal, and use *Add conditional report configuration*. We prefer the second way as there cannot occur spelling mistakes.




2 Report Type

Depending which *Report Type* is chosen, different configurations are available. The *Report Type* is necessary and has to be defined.

Report Types:

- DACL Differences (CSV, PDF)
- Effective Permissions (CSV, PDF)
- Permissions for Principal (CSV, PDF)
- Permissions for Tree (CSV)

See document *Export Descriptions*¹ for detailed information about the Report Types.



Report Types

¹ http://www.netsec.de/fileadmin/download/PermissionReporter/Export Descriptions EN.pdf

3 File System Object Condition

The *File System Object Condition* allows you to define a condition which generates a report for a specified object. If this object is not within the analysis, no report will be created.

This configuration is necessary for a *Conditional Report*.

3.1 Object Type

Define the object type. You can choose between

- Share
- File Or Folder

3.2 Property


This property defines, which kind of path you want to enter. You can choose

- Remote Path, if you want to enter the UNC path (e.g. \Server-FQDN\Share\Folder)
- Local Path, if you want to enter a path (e.g. C:\Folder)


3.3 Expected Value

Here you have to define the actual path.


Case writing does not matter and wildcards are not allowed.



Share with remote path



File or Folder with remote path to share



File or Folder with local path

4 Principal Condition

With the *Principal Condition* you can define a specific user/group as a matching criteria.

4.1 Property


Choose between

- NT Account, to name the user/group or
- Security Identifier, if the name is changing

4.2 Expected Value

Define the name or SID from the security object.

Case writing doesn't matter and wildcards are not allowed.




NT Account pointing to group

5 Conditional Report Destination

The Conditional Report Destination allows you to set

- the path, where a report has to be stored
- a recipient (list), where to send the report



File and Email reporting

5.1 File

With this configuration enabled, you can set a path where your report has to be stored into. Be patient that old report files or same named files will be deleted.

Choosing only a folder is not allowed.

5.2 Email Recipients

Specifies where the generated Report has to be send to. If you want to address more than one recipient, you have to separate the mail-addresses by semicolon ";".


This configuration will only work, if you've filled in the notification-settings in your Profile-Definition.

5.3 Compress Attachments


This configuration compresses the Report in both destination situations to a ZIP file.

6 Export Options

With *Export Options* you can apply different options on the resulting report as described in *Export Descriptions*² PDF document.



Filtering Option



Export Options for DACL Differences Report-Type

² http://www.netsec.de/fileadmin/download/PermissionReporter/Export Descriptions EN.pdf